

**AMENDMENTS TO THE CLAIMS:**


This listing of claims will replace all prior versions and listings of claims.


**LISTING OF CLAIMS:**


Claims 1-39. Cancelled.


Claim 40. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab  
or F(ab')<sup>2</sup> fragment, which recognizes a 150 kDA *T. equigenitalis*  
protein.


Claim 41. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab  
or F(ab')<sup>2</sup> fragment according to claim 40, in combination with at least  
one antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognize  
*T. equigenitalis* proteins selected from the group consisting of  
*T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

 Claim 42. (Previously Presented) An isolated monoclonal antibody obtained by a process comprising:

 fusing non-secreting murine myeloma cells with spleen cells  
from mice immunized against an inactivated strain of the  
species *T. equigenitalis* or extract(s) of such a strain,  
cloning and selecting according to the capacity of their culture  
supernatant to recognize a 150 kDA *T. equigenitalis*  
protein,  
recovering the required monoclonal antibody, and  
optionally purifying said monoclonal antibody.

 Claim 43. (Previously Presented) A method of obtaining a monoclonal antibody according to claim 40, comprising:

fusing non-secreting murine myeloma cells with spleen cells  
from mice immunized by means of a strain of the species  
*T. equigenitalis* or extract(s) from such a strain,  
screening hybridomas whose culture supernatants exhibit a  
positive reaction with a 150 kDA *T. equigenitalis* protein  
or a fragment thereof,   
selecting by cloning the hybridomas with respect to their  
reactivity, in relation to *T. equigenitalis*,  
recovering the monoclonal antibody, and  
optionally purifying said monoclonal antibody.

 Claim 44. (Previously Presented) A strain of hybridoma, which secretes a monoclonal antibody according to claim 40.

 Claim 45.

(Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may

contain *T. equigenitalis*, into contact with an effective

quantity of a monoclonal antibody or Fv, Fab or F(ab')<sup>2</sup>

fragment thereof according to claim 40, under conditions

permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type,~~

wherein said product is indicative of the presence of a bacterium of the

species *T. equigenitalis*.

 Claim 46.

(Currently Amended) A method of diagnosis of an infection by *Taylorella equigenitalis* (*T. equigenitalis*) comprising:

(a) bringing a monoclonal antibody or fragment thereof

according to claim 40, into contact with a biological

sample, wherein said sample may contain *T. equigenitalis*

antigen, under conditions permitting an antigen-antibody

reaction, and

(b) detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type~~

in said sample between the antibody or fragment of (a)  
and a *T. equigenitalis* antigen,  
wherein said product is indicative of a diagnosis for *T. equigenitalis*  
infection.

 Claim 47.


(Previously Presented) The method according to claim 45, further  
comprising blocking the non antigen-antibody reactions.

 Claim 48.

(Previously Presented) A kit for application of a method of  
identification of a bacterium of the species *Taylorella equigenitalis*  
(*T. equigenitalis*) in a specimen or in a culture comprising:

a monoclonal antibody or fragment according to claim 40,  
a reagent for detecting the intended immunologic reaction,  
optionally, a reagent for blocking the non antigen-antibody  
reactions, and  
instructions for use.

Claim 49. Cancelled.

Claim 50. (Previously Presented) A kit according to claim 48, wherein said  
reagent for carrying out the intended immunologic reaction is selected  
from the group consisting of markers and buffers.  


Claim 51. (Previously Presented) A kit according to claim 48, wherein a reagent for blocking the non antigenic-antibody reaction is included and said reagent is mouse serum.

Claim 52.

(Previously Presented) The method according to claim 47, wherein the non antigen-antibody reaction is blocked by saturation of the specimen obtained by means of a serum from which anti-*T. equigenitalis* antibodies have been removed.

Claim 53.

(Previously Presented) The method according to claim 46, further comprising blocking the non antigen-antibody reactions.

Claim 54. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

Claim 55. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

Claim 56. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.

Claim 57. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 40, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.

Claim 58. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with at least one antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a *T. equigenitalis* protein selected from the group consisting of *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

Claim 59. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof which recognize *T. equigenitalis* proteins of 120 kDA, 52.7 kDA and 22 (LPS) kDA.

Claim 60. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 120 kDA *T. equigenitalis* protein.

Claim 61. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 52.7 kDA *T. equigenitalis* protein.

Claim 62. (Previously Presented) An isolated monoclonal antibody or its Fv, Fab or F(ab')<sup>2</sup> fragment according to claim 42, in combination with an antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof which recognizes a 22 (LPS) kDA *T. equigenitalis* protein.

Claim 63. (Previously Presented) A strain of hybridoma, which secretes the monoclonal antibody according to claim 42.

Claim 64. (Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective

4 see Amended  
80

Combination of AP

Attorney's Docket No. 032475-001  
Application No. 09/155,982  
Page 9

quantity of the monoclonal antibodies or Fv, Fab or ~~F(ab')<sup>2</sup>~~ fragments thereof according to claim 41, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type,~~  
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

Claim 65.

(Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibody or Fv, Fab or F(ab')<sup>2</sup> fragment thereof according to claim 42, under conditions permitting a reaction of the antigen-antibody type, and detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type,~~  
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

amend language from claim 69

Broader Scope



  
Claim 66.

(Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 54, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type,~~  
wherein said product is indicative of the presence of a bacterium of the species *T. equigenitalis*.

  
Claim 67.


(Currently Amended) A method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

bringing the specimen or the culture to be analyzed, which may contain *T. equigenitalis*, into contact with an effective quantity of the monoclonal antibodies or Fv, Fab or F(ab')<sup>2</sup> fragments thereof according to claim 58, under conditions permitting a reaction of the antigen-antibody type, and

detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type,~~  
wherein said product is indicative of the presence of a bacterium of the  
species *T. equigenitalis*.

  
Claim 68.

(Currently Amended) A method of identification of a bacterium of the  
species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a  
culture comprising:

 bringing the specimen or the culture to be analyzed, which may  
contain *T. equigenitalis*, into contact with an effective  
quantity of the monoclonal antibodies or Fv, Fab or  
F(ab')<sup>2</sup> fragments thereof according to claim 59, under  
conditions permitting a reaction of the antigen-antibody  
type, and

detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type,~~  
wherein said product is indicative of the presence of a bacterium of the  
species *T. equigenitalis*.

  
Claim 69.

(Currently Amended) A method of diagnosis of an infection by  
*Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof  
according to claim 41, into contact with a biological

sample, wherein said sample may contain *T. equigenitalis* antigen, under conditions permitting an antigen-antibody reaction, and

- (b) detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type~~  
in said sample between the antibody or fragment of (a)  
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis* infection.

Claim 70.

(Currently Amended) A method of diagnosis of an infection by  
*Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof  
according to claim 42, into contact with a biological  
sample, wherein said sample may contain *T. equigenitalis*  
antigen, under conditions permitting an antigen-antibody  
reaction, and
- (b) detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type~~  
in said sample between the antibody or fragment of (a)  
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis* infection.

18  
Claim 71.

(Currently Amended) A method of diagnosis of an infection by  
*Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof  
according to claim 54, into contact with a biological  
sample, wherein said sample may contain *T. equigenitalis*  
antigen, under conditions permitting an antigen-antibody  
reaction, and
- (b) detecting any antigen/antibody type reaction product formed  
~~product formed in a reaction of the antigen-antibody type~~  
in said sample between the antibody or fragment of (a)  
and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis*  
infection.

18  
Claim 72.

(Currently Amended) A method of diagnosis of an infection by  
*Taylorella equigenitalis* (*T. equigenitalis*) comprising:

- (a) bringing a monoclonal antibody or fragment thereof  
according to claim 58, into contact with a biological  
sample, wherein said sample may contain *T. equigenitalis*  
antigen, under conditions permitting an antigen-antibody  
reaction, and

Need  
Combination

(b) detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type~~

in said sample between the antibody or fragment of (a)

and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis*

infection.

Claim 73.

(Currently Amended) A method of diagnosis of an infection by

*Taylorella equigenitalis* (*T. equigenitalis*) comprising:

(a) bringing a monoclonal antibody or fragment thereof

according to claim 59, into contact with a biological

sample, wherein said sample may contain *T. equigenitalis*

antigen, under conditions permitting an antigen-antibody

reaction, and

(b) detecting any antigen/antibody type reaction product formed

~~product formed in a reaction of the antigen-antibody type~~

in said sample between the antibody or fragment of (a)

and a *T. equigenitalis* antigen,

wherein said product is indicative of a diagnosis for *T. equigenitalis*


infection.

 Claim 74.

(Currently Amended) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

the a monoclonal antibody or fragment ~~antibodies or fragments~~  
according to claim 41,  
reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody  
reactions, and  
instructions for use.

Claim 75. (Previously Presented) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

 a monoclonal antibody or fragment according to claim 42,  
reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody  
reactions, and  
instructions for use.

 Claim 76.

(Currently Amended) A kit for application of a method of identification of a bacterium of the species *Taylorella equigenitalis* (*T. equigenitalis*) in a specimen or in a culture comprising:

the a monoclonal antibody or fragment ~~antibodies or fragments~~  
according to claim 54,  
reagents for detecting the intended immunologic reaction,

optionally, reagents for blocking the non antigen-antibody  
reactions, and  
instructions for use.

Claim 77.

(Currently Amended) A kit for application of a method of  
identification of a bacterium of the species *Taylorella equigenitalis*  
(*T. equigenitalis*) in a specimen or in a culture comprising:

the a monoclonal antibody or fragment ~~antibodies or fragments~~  
according to claim 58,  
reagents for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody  
reactions, and  
instructions for use.

Claim 78.

(Currently Amended) A kit for application of a method of  
identification of a bacterium of the species *Taylorella equigenitalis*  
(*T. equigenitalis*) in a specimen or in a culture comprising:

the a monoclonal antibody or fragment ~~antibodies or fragments~~  
according to claim 59,  
reagents, for detecting the intended immunologic reaction,  
optionally, reagents for blocking the non antigen-antibody  
reactions, and  
instructions for use.

Claims 79-83 Cancelled.